

## Author Index

- Alexandre Franco, M.F., see Galeano Diaz, T. 231  
 Araujo, M.C.U., see Medeiros, E.P. 113  
 Arkin, Y., see Lian, H. 25  
 Arrigan, D.W.M., see Herzog, G. 137  
 Asunción Alonso Lomillo, M., see Paolicchi, I. 223  
 Augousti, A., see McMillan, N.D. 119
- Badawy, S.S.  
 —, Youssef, A.F. and Mutair, A.A.  
 Construction and performance characterization of ion-selective electrodes for potentiometric determination of phenylpropanolamine hydrochloride applying batch and flow injection analysis techniques 207
- Bakker, E., see Long, R. 91  
 Barry, T., see Herzog, G. 137  
 Benaki, D., see Constantinou, M.A. 303  
 Beni, V., see Herzog, G. 137  
 Bertho, A.C., see McMillan, N.D. 119  
 Beverley, K., see McMillan, N.D. 119  
 Bi, S., see Lian, H. 25  
 Blasco, A.J.  
 —, González, M.C. and Escarpa, A.  
 Electrochemical approach for discriminating and measuring predominant flavonoids and phenolic acids using differential pulse voltammetry: towards an electrochemical index of natural antioxidants 71
- Bobba, M., see Marengo, E. 313  
 Boller, D., see McMillan, N.D. 119  
 Broncová, G.  
 —, Shishkanova, T.V., Matějka, P., Volf, R. and Král, V.  
 Citrate selectivity of poly(neutral red) electropolymerized films 197
- Burini, G.  
 — and Coli, R.  
 Determination of formaldehyde in spirits by high-performance liquid chromatography with diode-array detection after derivatization 155
- Buss, N.I., see Wilburn, J.P. 83
- Caetano, N., see Rego, R. 215  
 Cao, Y., see Tian, Y. 97  
 Cave, S.J., see McMillan, N.D. 119  
 Chen, D.  
 —, Shao, X., Hu, B. and Su, Q.  
 A Background and noise elimination method for quantitative calibration of near infrared spectra 37
- Chen, X.-L.  
 —, Liu, H.-X., Qu, L.-B., Yu, Y.-Z., Lu, J. and Zhao, Y.-F.  
 Direct observation of a series of non-covalent complexes formed by phosphorylated flavonoid-protein interactions through electrospray ionization tandem mass spectroscopy 175
- Chen, Y., see Lian, H. 25  
 Chongqiu, J.  
 — and Li, L.  
 Lysozyme enhanced europium–metacycline complex fluorescence: a new spectrofluorimetric method for the determination of lysozyme 11
- Chung, D.-H., see Kolosova, A.Yu. 323  
 Ciobanu, M., see Wilburn, J.P. 83  
 Coli, R., see Burini, G. 155
- Constantinou, M.A.  
 —, Papakonstantinou, E., Benaki, D., Spraul, M., Shulpis, K., Koupparis, M.A. and Mikros, E.  
 Application of nuclear magnetic resonance spectroscopy combined with principal component analysis in detecting inborn errors of metabolism using blood spots: a metabonomic approach 303
- Cui, H.  
 —, Zhou, J., Xu, F., Lai, C.-Z. and Wan, G.-H.  
 Determination of phenolic compounds using high-performance liquid chromatography with Ce<sup>4+</sup>-Tween 20 chemiluminescence detection 273
- da Silva, E.C., see Medeiros, E.P. 113  
 Dai, L., see Lian, H. 25  
 Dillon, P.H., see Herzog, G. 137  
 Doi, T., see Inukai, Y. 261  
 Doyle, G., see McMillan, N.D. 119  
 Durán Merás, I., see Galeano Diaz, T. 231
- Eremin, S.A., see Kolosova, A.Yu. 323  
 Escarpa, A., see Blasco, A.J. 71
- Franceschetti, D.R., see Wilburn, J.P. 83  
 Fukunaga, K., see Inoue, H. 267
- Galeano Diaz, T.  
 —, Durán Merás, I., Guiberteau Cabanillas, A. and Alexandre Franco, M.F.  
 Voltammetric behavior and determination of tocopherols with partial least squares calibration: analysis in vegetable oil samples 231
- Gan, N., see Lian, H. 25  
 Gan, Z.-H.  
 —, Zhao, Q., Gu, Z.-N. and Zhuang, Q.-K.  
 Electrochemical studies of single-wall carbon nanotubes as nanometer-sized activators in enzyme-catalyzed reaction 239
- García-Barrera, T., see Gómez-Ariza, J.L. 165  
 Ghoneim, M.M.  
 — and Tawfik, A.  
 Assay of anti-coagulant drug warfarin sodium in pharmaceutical formulation and human biological fluids by square-wave adsorptive cathodic stripping voltammetry 63
- Gómez-Ariza, J.L.  
 —, Lorenzo, F., García-Barrera, T. and Sánchez-Rodas, D.  
 Analytical approach for routine methylmercury determination in sea-food using gas chromatography-atomic fluorescence spectrometry 165
- González, M.C., see Blasco, A.J. 71  
 Grahek, Ž.  
 — and Mačefat, M.R.  
 Isolation of iron and strontium from liquid samples and determination of <sup>55</sup>Fe and <sup>89,90</sup>Sr in liquid radioactive waste 339
- Greenbaum, A.R., see Lindsay, A.E. 185  
 Gu, Z.-N., see Gan, Z.-H. 239  
 Guiberteau Cabanillas, A., see Galeano Diaz, T. 231
- Hammond, J., see McMillan, N.D. 119

- He, Y.  
—, Zheng, Y., Ramnaraine, M. and Locke, D.C.  
Differential pulse cathodic stripping voltammetric speciation of trace level inorganic arsenic compounds in natural water samples 55
- Herzog, G.  
—, Beni, V., Dillon, P.H., Barry, T. and Arrigan, D.W.M.  
Effect of humic acid on the underpotential deposition-stripping voltammetry of copper in acetic acid soil extract solutions at mercaptoacetic acid-modified gold electrodes 137
- Hu, B., see Chen, D. 37
- Ikeda, M., see Toda, K. 3
- Inoue, H.  
—, Sakata, Y., Fukunaga, K., Nishio, H. and Tsuruta, Y.  
Sensitive determination of pipelicolic acid in serum by high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride as a fluorescent labelling reagent 267
- Inukai, Y.  
—, Tanaka, Y., Matsuda, T., Mihara, N., Yamada, K., Nambu, N., Itoh, O., Doi, T., Kaida, Y. and Yasuda, S.  
Removal of boron(III) by *N*-methylglucamine-type cellulose derivatives with higher adsorption rate 261
- Itoh, O., see Inukai, Y. 261
- Johnson, D.T., see Zhang, Y. 333
- Julia Arcos Martínez, M., see Paolicchi, I. 223
- Kaida, Y., see Inukai, Y. 261
- Kang, S.-J., see Kolosova, A.Yu. 323
- Kang, Y., see Lian, H. 25
- Kartal, Ş., see Tokaloğlu, Ş. 255
- Kolosova, A.Yu.  
—, Park, J.-H., Eremin, S.A., Park, S.-J., Kang, S.-J., Shim, W.-B., Lee, H.-S., Lee, Y.-T. and Chung, D.-H.  
Comparative study of three immunoassays based on monoclonal antibodies for detection of the pesticide parathion-methyl in real samples 323
- Koupparis, M.A., see Constantinou, M.A. 303
- Koupparis, M.A., see Megoulas, N.C. 159
- Král, V., see Brncová, G. 197
- Lai, C.-Z., see Cui, H. 273
- Lee, H.-S., see Kolosova, A.Yu. 323
- Lee, Y.-T., see Kolosova, A.Yu. 323
- Lehtonen, T.  
—, Peuravuori, J. and Pihlaja, K.  
Degradative analysis of aquatic fulvic acid: CuO oxidation versus pyrolysis after tetramethylammonium hydroxide treatments in air and helium atmospheres 349
- Lenti, M., see Marengo, E. 313
- Li, D., see Lian, H. 25
- Li, L., see Chongqiu, J. 11
- Lian, H.  
—, Kang, Y., Arkin, Y., Bi, S., Li, D., Mei, S., Wu, X., Tao, X., Chen, Y., Dai, L., Gan, N. and Tian, L.  
Fractionation of aluminum in natural waters by fluorometry based on the competitive complexation 25
- Lindsay, A.E.  
—, Greenbaum, A.R. and O'Hare, D.  
Analytical techniques for cyanide in blood and published blood cyanide concentrations from healthy subjects and fire victims 185
- Liu, H.-X., see Chen, X.-L. 175
- Liu, S., see Pu, Q. 105
- Liu, X., see Tian, Y. 97
- Liu, Z., see Tian, Y. 97
- Locke, D.C., see He, Y. 55
- Long, R.  
— and Bakker, E.  
Optical determination of ionophore diffusion coefficients in plasticized poly(vinyl chloride) sensing films 91
- López-Sánchez, J.F., see Miravet, R. 295
- Lorenzo, F., see Gómez-Ariza, J.L. 165
- Low, G.K.-C., see Nedelkoska, T.V. 145
- Lowy, D.A., see Wilburn, J.P. 83
- Lu, J., see Chen, X.-L. 175
- Luque de Castro, M.D., see Priego-López, E. 249
- Mačefat, M.R., see Grahek, Ž. 339
- Mackie, D.S.  
—, van den Berg, C.M.G. and Readman, J.W.  
Determination of pyriethion in natural waters by cathodic stripping voltammetry 47
- Manganiello, L., see Palenzuela, B. 289
- Marengo, E.  
—, Bobba, M., Robotti, E. and Lenti, M.  
Hydroxyl and acid number prediction in polyester resins by near infrared spectroscopy and artificial neural networks 313
- Mason, J., see McMillan, N.D. 119
- Matějka, P., see Brncová, G. 197
- Matsuda, T., see Inukai, Y. 261
- McMillan, N.D.  
—, O'Rourke, B., Riedel, S.M., O'Neill, M., O'Neill, A.E., Bertho, A.C., Doyle, G., Beverley, K., Hammond, J., Augusti, A., Mason, J., Skelly, D.O., O'Neill, A.T., Boller, D. and Cave, S.J.  
A new democratic phase coherent data-scatter technique for calibration, measurement, fingerprinting and rapid archival identification of ultra-violet-visible multi-component food spectra 119
- Medeiros, A.C.D., see Medeiros, E.P. 113
- Medeiros, E.P.  
—, Nascimento, E.C.L., Medeiros, A.C.D., Neto, J.G.V., da Silva, E.C. and Araujo, M.C.U.  
Multicommutated generation of concentration gradients in a flow-batch system for metronidazole spectrophotometric determination in drugs 113
- Megoulas, N.C.  
— and Koupparis, M.A.  
Ion chromatographic behaviour and determination of perbromates 159
- Mei, S., see Lian, H. 25
- Mendes, A., see Rego, R. 215
- Mihara, N., see Inukai, Y. 261
- Mikros, E., see Constantinou, M.A. 303
- Mio, C., see Mitchem, L. 281
- Miravet, R.  
—, López-Sánchez, J.F. and Rubio, R.  
Comparison of pre-reducing agents for antimony determination by hydride generation atomic fluorescence spectrometry 295
- Mitchem, L.  
—, Mio, C. and Snook, R.D.  
Diffusion of transdermally delivered nitroglycerin through skin mimetics using photoacoustic and attenuated total reflectance spectrometry 281
- Musameh, M., see Wang, J. 33
- Mutair, A.A., see Badawy, S.S. 207
- Nambu, N., see Inukai, Y. 261
- Nascimento, E.C.L., see Medeiros, E.P. 113
- Nedelkoska, T.V.  
— and Low, G.K.-C.  
High-performance liquid chromatographic determination of glyphosate in water and plant material after pre-column derivatisation with 9-fluorenylmethyl chloroformate 145
- Neto, J.G.V., see Medeiros, E.P. 113
- Nishio, H., see Inoue, H. 267



- O'Hare, D., see Lindsay, A.E. 185  
Ohira, S.-I., see Toda, K. 3  
O'Neill, A.E., see McMillan, N.D. 119  
O'Neill, A.T., see McMillan, N.D. 119  
O'Neill, M., see McMillan, N.D. 119  
O'Rourke, B., see McMillan, N.D. 119  
Oymak, T., see Tokaloğlu, Ş. 255
- Palenzuela, B.  
—, Manganiello, L., Ríos, A. and Valcárcel, M.  
Monitoring inorganic mercury and methylmercury species with liquid chromatography-piezoelectric detection 289
- Paolicchi, I.  
—, Renedo, O.D., Asunción Alonso Lomillo, M. and Julia Arcos Martínez, M.  
Application of an optimization procedure in adsorptive stripping voltammetry for the determination of trace contaminant metals in aqueous medium 223
- Papakonstantinou, E., see Constantinou, M.A. 303  
Park, J.-H., see Kolosova, A.Yu. 323  
Park, S.-J., see Kolosova, A.Yu. 323  
Peng, Z., see Tian, Y. 97  
Peuravuori, J., see Lehtonen, T. 349  
Pihlaja, K., see Lehtonen, T. 349  
Priego-López, E.  
— and Luque de Castro, M.D.  
Superheated water extraction of linear alkylbenzene sulfonates from sediments with on-line preconcentration/derivatization/detection 249
- Pu, Q.  
— and Liu, S.  
Microfabricated electroosmotic pump for capillary-based sequential injection analysis 105
- Qu, L.-B., see Chen, X.-L. 175
- Ramnaraine, M., see He, Y. 55  
Readman, J.W., see Mackie, D.S. 47  
Rego, R.  
—, Caetano, N. and Mendes, A.  
Development of a new gas sensor for binary mixtures based on the permselectivity of polymeric membranes. Application to carbon dioxide/methane and carbon dioxide/helium mixtures 215
- Renedo, O.D., see Paolicchi, I. 223  
Riedel, S.M., see McMillan, N.D. 119  
Robotti, E., see Marengo, E. 313  
Ríos, A., see Palenzuela, B. 289  
Rubio, R., see Miravet, R. 295
- Sakata, Y., see Inoue, H. 267  
Sánchez-Rodas, D., see Gómez-Ariza, J.L. 165  
Shao, X., see Chen, D. 37  
Shim, W.-B., see Kolosova, A.Yu. 323  
Shishkanova, T.V., see Broncová, G. 197  
Shulpis, K., see Constantinou, M.A. 303  
Skelly, D.O., see McMillan, N.D. 119  
Snook, R.D., see Mitchem, L. 281  
Song, D., see Tian, Y. 97  
Spraul, M., see Constantinou, M.A. 303  
Su, Q., see Chen, D. 37
- Tanaka, Y., see Inukai, Y. 261  
Tang, B.  
—, Zhang, H. and Wang, Y.  
Flow injection kinetic spectrofluorimetric determination of trace amounts of palladium 17  
Tao, X., see Lian, H. 25  
Tawfik, A., see Ghoneim, M.M. 63  
Tian, L., see Lian, H. 25  
Tian, Y.  
—, Zhao, L., Song, D., Liu, X., Cao, Y., Peng, Z., Liu, Z. and Zhang, H.  
Acousto-optic tunable filter-based surface plasmon resonance biosensor for determination of human factor B 97
- Toda, K.  
—, Ohira, S.-I. and Ikeda, M.  
Micro-gas analysis system  $\mu$ GAS comprising a microchannel scrubber and a micro-fluorescence detector for measurement of hydrogen sulfide 3
- Tokaloğlu, Ş.  
—, Oymak, T. and Kartal, Ş.  
Determination of palladium in various samples by atomic absorption spectrometry after preconcentration with dimethylglyoxime on silica gel 255
- Tsuruta, Y., see Inoue, H. 267
- Valcárcel, M., see Palenzuela, B. 289  
van den Berg, C.M.G., see Mackie, D.S. 47  
Volf, R., see Broncová, G. 197
- Wan, G.-H., see Cui, H. 273  
Wang, J.  
— and Musameh, M.  
Electrochemical detection of trace insulin at carbon-nanotube-modified electrodes 33  
Wang, Y., see Tang, B. 17  
Wilburn, J.P.  
—, Ciobanu, M., Buss, N.I., Franceschetti, D.R. and Lowy, D.A.  
Miniaturized reference electrodes with stainless steel internal reference elements 83  
Wu, X., see Lian, H. 25
- Xu, F., see Cui, H. 273
- Yamada, K., see Inukai, Y. 261  
Yasuda, S., see Inukai, Y. 261  
Youssef, A.F., see Badawy, S.S. 207  
Yu, Y.-Z., see Chen, X.-L. 175
- Zhang, H., see Tang, B. 17  
Zhang, H., see Tian, Y. 97  
Zhang, Y.  
— and Johnson, D.T.  
Comparison of different alcohols in a caged lumophore for measuring supersaturated dissolved oxygen 333  
Zhao, L., see Tian, Y. 97  
Zhao, Q., see Gan, Z.-H. 239  
Zhao, Y.-F., see Chen, X.-L. 175  
Zheng, Y., see He, Y. 55  
Zhou, J., see Cui, H. 273  
Zhuang, Q.-K., see Gan, Z.-H. 239



**Vol. 511**

**Iss. 1**

**MAY 24**

**2004**